

No. 1 Selling Chainsaws Brand Worldwide



● The STIHL Network



120+ Importers



20,000+ Employees



55,000+ STIHL Authorized Dealers



42+ STIHL Owned Sales Subsidiaries



Chainsaws

For : All electric & battery operated equipment

For : All petrol operated equipment & electric vacuum cleaners

For : Water pump models - WP 300, WP 600 & WP 900

MS 170



Displacement	Power Output	Weight
30.1cm <sup>3</sup>	1.3Kw/1.8hp	3.9Kg*

MS 180



Displacement	Power Output	Weight
31.8cm <sup>3</sup>	1.5Kw/2hp	3.9Kg*

MS 194 T



Displacement	Power Output	Weight
31.8cm <sup>3</sup>	1.4Kw/1.9hp	3.3Kg*

MS 210



Displacement	Power Output	Weight
35.2cm <sup>3</sup>	1.6Kw/2.2hp	4.4Kg*

MS 230



Displacement	Power Output	Weight
40.2cm <sup>3</sup>	2.0Kw/2.7hp	4.6Kg*

MS 250



Displacement	Power Output	Weight
45.4cm <sup>3</sup>	2.3Kw/3.1hp	4.6Kg*

MS 260



Displacement	Power Output	Weight
50.2cm <sup>3</sup>	2.6Kw/3.5hp	4.8Kg*

MS 291



Displacement	Power Output	Weight
55.5cm <sup>3</sup>	2.8Kw/3.8hp	5.6Kg*

MS 361



Displacement	Power Output	Weight
59.0cm <sup>3</sup>	3.4Kw/4.6hp	5.6Kg*

MS 382



Displacement	Power Output	Weight
72.2cm <sup>3</sup>	3.9Kw/5.3hp	6.2Kg*

MS 462



Displacement	Power Output	Weight
72.2cm <sup>3</sup>	4.4Kw/6.0hp	6.0Kg*

MS 651



Displacement	Power Output	Weight
91.1cm <sup>3</sup>	5.0Kw/6.8hp	7.4Kg*

\* Without Fuel & attachments

# Chainsaws

## MS 661



Petrol Operated

Displacement	Power Output	Weight
91.1cm <sup>3</sup>	5.4Kw/7.3hp	7.4Kg*

## MS 880 / MS 881



Petrol Operated

Displacement	Power Output	Weight
121.6cm <sup>3</sup>	6.4Kw/8.7hp	9.8Kg*

## MSE 141



Electric Operated

Rated Voltage	Power Output	Weight
230V	1.4Kw	3.6Kg*

## MSE 170



Electric Operated

Rated Voltage	Power Output	Weight
230V	1.7Kw	3.8Kg*

## MSE 190



Electric Operated

Rated Voltage	Power Output	Weight
230V	1.9Kw	3.8Kg*

## MSE 210



Electric Operated

Rated Voltage	Power Output	Weight
230V	2.1Kw	4.0Kg*

## MSA 60



Battery Operated

Battery	Battery Running Time	Weight
AK 20	up to 40 min	2.3Kg*

## MSA 70



Battery Operated

Battery	Battery Running Time	Weight
AK 30	up to 50 min	2.7Kg*

## MSA 160



Battery Operated

Battery	Battery Running Time	Weight
AP 300	up to 50 min	2.7Kg*

## MSA 200



Battery Operated

Battery	Battery Running Time	Weight
AP 300 S	up to 45 min	2.9Kg*

\* Battery runtime

# Brushcutters



**FS 55**  Petrol Operated

**Displacement**  
27.2cm<sup>3</sup>

**Power Output**  
**Time**  
0.75Kw/0.9hp

**Weight**  
5.0Kg\*



**FS 3001**  Petrol Operated

**Displacement**  
25.4cm<sup>3</sup>

**Power Output**  
**Time**  
0.97Kw/1.3hp

**Weight**  
5.6Kg\*



**FS 120**  Petrol Operated

**Displacement**  
30.8cm<sup>3</sup>

**Power Output**  
**Time**  
1.3Kw/1.8hp

**Weight**  
6.3Kg\*



**FS 230**  Petrol Operated

**Displacement**  
40.2cm<sup>3</sup>

**Power Output**  
**Time**  
1.55Kw/2.1hp

**Weight**  
7.5Kg\*



**FS 230 with Cruise Control**  Petrol Operated

**Displacement**  
40.2cm<sup>3</sup>

**Power Output**  
**Time**  
1.55Kw/2.1hp

**Weight**  
7.1Kg\*



**FS 250**  Petrol Operated

**Displacement**  
40.2cm<sup>3</sup>

**Power Output**  
**Time**  
1.6Kw/2.2hp

**Weight**  
6.3Kg\*



**FS 350**  Petrol Operated

**Displacement**  
40.2cm<sup>3</sup>

**Power Output**  
**Time**  
1.6Kw/2.2hp

**Weight**  
7.3Kg\*



**FS 380**  Petrol Operated

**Displacement**  
40.2cm<sup>3</sup>

**Power Output**  
**Time**  
2.0Kw/2.7hp

**Weight**  
7.3Kg\*



**FS 410**  Petrol Operated

**Displacement**  
41.6cm<sup>3</sup>

**Power Output**  
**Time**  
2.0Kw/2.7hp

**Weight**  
8.4Kg\*



**FS 460**  Petrol Operated

**Displacement**  
44.3cm<sup>3</sup>

**Power Output**  
**Time**  
2.1Kw/2.9hp

**Weight**  
8Kg\*



**KA 120**  बैटरी चलित

**KA 250**

**Displacement**  
30.8cm<sup>3</sup>

**Power Output**  
**Time**  
1.3Kw/1.8hp

**Weight**  
6.3Kg\*

**Displacement**  
40.2cm<sup>3</sup>

**Power Output**  
**Time**  
1.6Kw/2.2hp

**Weight**  
6.3Kg\*

## Cutting Tools



2-Teeth grass cutting blade



AutoCut mowing head



Brush Knife



4-teeth grass cutting blade



Circular Saw blade, scratcher tooth



Circular Saw blade, chisel tooth



Circular Saw blade



Shredder Knife



Nylon trimmer lines

## KA Multi Tools Attachments - KA 120 / KA 250



Pick Tine



Bolo Tines



Auto Cut



Brush Knife



Circular Saw Blade



Paddy Harvester Attachment



Paddy Weeder Attachment

## Brushcutters



### FSA 30

**Battery**  
AS 2  
**Battery Voltage**  
10.8V  
**Battery Running Time**  
up to 14 mins  
**Weight**  
2.1Kg\*

### FSA 57

**Battery**  
AK 20  
**Battery Voltage**  
36V  
**Battery Running Time**  
up to 25 mins  
**Weight**  
2.4Kg\*

### FSA 130/135

**Battery**  
AP 300S  
**Battery Voltage**  
36V  
**Battery Running Time**  
up to 70/100mins  
**Weight**  
4.5Kg\*



### FSE 52

**Rated Voltage**  
230V  
**Power Output**  
500W  
**Weight**  
2.2Kg\*



\* Battery runtime

## Backpack Brushcutters



### FSE 81

**Rated Voltage**  
230V  
**Power Output**  
1000W  
**Weight**  
4.7Kg\*



### FR 230

**Displacement**  
40.2cm<sup>3</sup>  
**Power Output**  
1.55Kw/2.1hp  
**Weight**  
10.1Kg\*



### FR 230 with Cruise Control

**Displacement**  
40.2cm<sup>3</sup>  
**Power Output**  
1.55Kw/2.1hp  
**Weight**  
10.1Kg\*



### FR 3001

**Displacement**  
30.5cm<sup>3</sup>  
**Power Output**  
0.81Kw/1.1hp  
**Weight**  
9.4Kg\*



### FT 230

**Displacement**  
40.2cm<sup>3</sup>  
**Power Output**  
2.1hp  
**Weight**  
7.5Kg\*

\* Without Fuel & attachments

## Tea Pruner

## Power Weeders



### BC 230

<b>Displacement</b>	40.2cm <sup>3</sup>
<b>Power Output</b>	1.55Kw/2.1hp
<b>Cultivation Width</b>	30cm
<b>Cultivation Depth</b>	75mm / 3inch
<b>Weight</b>	20kg*



### MH 610

<b>Displacement</b>	212cm <sup>3</sup>
<b>Max Power</b>	6.0hp
<b>Drive</b>	Belt Drive
<b>Transmission</b>	Forward 2, Reverse 1
<b>Working Depth</b>	5"
<b>Working Width</b>	78cm/2 ½ft
<b>Fuel Tank Capacity</b>	3.6L
<b>Weight</b>	60kg



### MH 710

<b>Displacement</b>	252cm <sup>3</sup>
<b>Max Power</b>	7.0hp
<b>Drive</b>	Gear Drive
<b>Transmission</b>	Forward 2, Reverse 1
<b>Working Depth</b>	6"
<b>Working Width</b>	97cm/3ft
<b>Fuel Tank Capacity</b>	3.6L
<b>Weight</b>	101kg

\* Without Fuel & attachments



# Water Pump



**WP 230**



Displacement	40.2cm <sup>3</sup>
Power Output	1.55Kw/2.1hp
Weight	11.3kg*
Max. Head	27 meter
Max. Discharge	250 L/min



**WP 300**



Displacement	212cm <sup>3</sup>
Power Output	4.4Kw/6.0hp
Weight	26kg*
Max. Head	33 meter
Max. Discharge	616 L/min



**WP 600**



Displacement	212cm <sup>3</sup>
Power Output	4.4Kw/6.0hp
Weight	29kg*
Max. Head	31 meter
Max. Discharge	1,050 L/min



**WP 900**



Displacement	252cm <sup>3</sup>
Power Output	5.2Kw/7.0hp
Weight	38kg*
Max. Head	34 meter
Max. Discharge	1,567 L/min

\* Without Fuel & attachments

# Handheld Blowers



**BG 50**



**BG 86**



Model	Displacement	Weight	Sound Pressure Level*	Sound Power Level*	Vibration Level Right**	Air Throughput***	Max. Air Throughput***	Air Speed****
<b>BG 50</b>	27.2cm <sup>3</sup>	3.6Kg*	92dB(A)	105dB(A)	10.5ms <sup>2</sup>	700m <sup>3</sup> /h	730m <sup>3</sup> /h	71m/s
<b>BG 86</b>	27.2cm <sup>3</sup>	4.4Kg*	90dB(A)	104dB(A)	2.5ms <sup>2</sup>	755m <sup>3</sup> /h	810m <sup>3</sup> /h	89m/s

\* Without Fuel & attachments

# Backpack Blowers



**BR 420**



**BR 550**



**BR 600**



**BR 800**



Displacement	56.5cm <sup>3</sup>
Weight	9.1Kg*
Max. Air Throughput***	1260m <sup>3</sup> /h

Displacement	64.8cm <sup>3</sup>
Weight	9.9Kg*
Max. Air Throughput***	1490m <sup>3</sup> /h

Displacement	64.8cm <sup>3</sup>
Weight	9.8Kg*
Max. Air Throughput***	1720m <sup>3</sup> /h

Displacement	79.9cm <sup>3</sup>
Weight	11.7Kg*
Max. Air Throughput***	2,025m <sup>3</sup> /h

\* Without Fuel & attachments

## Mistblowers



### SR 420

Displacement	Weight
56.5cm <sup>3</sup>	11.1Kg*



Petrol Operated



### SR 450

Displacement	Weight
63.3cm <sup>3</sup>	12.8Kg*



Petrol Operated



### SR 5600

Displacement	Weight
56.5cm <sup>3</sup>	11.2Kg*



Petrol Operated

\* Without Fuel & attachments

## Portable Sprayer



### SG 230

Displacement	40.2cm <sup>3</sup>
Power Output	1.55Kw/2.1hp
Volume Flow Rate	12.2Ltr/min
Working Pressure	5-40bar
Weight	13kg*



Petrol Operated

\* Without Fuel & attachments

## Handheld Blowers



### BGE 81

Rated Voltage	230V
Power Output	1.4kw
Weight	3.3Kg*
Max. Air Throughput***	750m <sup>3</sup> /h
Air Speed****	82m/s



Electric Operated

## Handheld Blowers



### BGA 60

Battery	Air Speed	Battery Running Time	Weight
AK 30	69m/s	up to 16 min	2.3Kg*



Battery Operated



### BGA 86

Battery	Air Speed	Battery Running Time	Weight
AP 300 S	69m/s	up to 21 min	2.8Kg*



Battery Operated



### BGA 100

Battery	Air Speed	Battery Running Time	Weight
AR 3000 S	63m/s	up to 395/75 min. (Stage 2/3)	2.5Kg*



Battery Operated



### BGA 300

Battery	Air Speed	Battery Running Time	Weight
AR 2000	86m/s	up to 140 min	7.4Kg*



Battery Operated

## Backpack Battery (Li-ion)

### AR 2000

Battery	AR 2000
Weight	7.8kg
Battery Energy	916wh



### AR 3000

Battery	AR 3000
Weight	8.1kg
Battery Energy	1148wh



\* Battery runtime

# High-Pressure Cleaners



Electric Operated



**RE 80X**    **RE 80**    **RE 90**

Entry-Level Range

Model	RE 80X	RE 80	RE 90
Max Pressure	120bar	120bar	130bar
Max. Water Throughput	430L/hr	430L/hr	440L/hr
Power Consumption	1.7kw	1.7kw	2.1kw



**RE 100 Plus Control**    **RE 105X**    **RE 110**    **RE 120**    **RE 120 Plus**

Semi - Professional Range

Model	RE 100 Plus Control	RE 105X	RE 110	RE 120	RE 120 Plus
Max Pressure	150bar	150bar	120bar	140bar	140bar
Max. Water Throughput	450L/hr	430L/hr	440L/hr	500L/hr	500L/hr
Power Consumption	2.1kw	1.7kw	1.7kw	2.1kw	2.1kw



**RE 130 Plus**    **RE 140 Plus**

Semi - Professional Range

Model	RE 130 Plus	RE 140 Plus
Max Pressure	150bar	180bar
Max. Water Throughput	500L/hr	510L/hr
Power Consumption	2.3kw	2.5kw



**RE 150**    **RE 272 Plus**    **RE 362**    **RE 362 Plus**    **RE 462 Plus**

Professional Range

Model	RE 150	RE 272 Plus	RE 362	RE 362 Plus	RE 462 Plus
Max Pressure	180bar	200bar	250bar	250bar	250bar
Max. Water Throughput	612L/hr	620L/hr	1080L/hr	1080L/hr	1130L/hr
Power Consumption	3.0kw	3.0kw	6.5kw	6.5kw	7.4kw

# Vacuum Cleaners



Electric Operated



Electric Operated



Electric Operated

Model	SE 33	SE 62	SE 122
Max. Vacuum	210mbar	210mbar	210mbar
Container Volume	12L	20L	30L
Mains Voltage	230v/50Hz	230v/50Hz	230v/50Hz
Max. Power Consumption	1.4kW	1.4kW	1.5kW
Weight Ready for Operation	5.4kg	7.5kg	12.1kg

## ACCESSORIES



Car Set    Wet Vacuuming Set    Coarse Dirt Set



Filter Bag



Extension Tube



# Vacuum Cleaners



SEA 20

<b>Model</b>	<b>SEA 20</b>
<b>Battery</b>	AS 2
<b>Running Time</b>	up to 14 min
<b>Weight</b>	1.1Kg*

\* Battery runtime



## ACCESSORIES



# Sweeping Machines



KG 770



मैनुअल



KGA 770



Battery Operated

Model	KG 770 Manual	KGA 770 Battery
<b>Sweep Width</b>	77cm	77cm
<b>Container Capacity</b>	50L	50L
<b>Weight</b>	13Kg*	16Kg*
<b>For Areas Upto</b>	1500m <sup>2</sup>	2000m <sup>2</sup>

Battery	Battery Running Time
AP 100	up to 84 min
AP 200	up to 168 min
AP 300	up to 210 min

\* Battery runtime

# Hedge Trimmers

# Tea Pruner



HS 45

<b>Displacement</b>	27.2cm <sup>3</sup>
<b>Power Output</b>	0.75Kw/1.0hp
<b>Weight</b>	4.7kg*
<b>Bar Length</b>	45cm




HS 52

<b>Displacement</b>	27.2cm <sup>3</sup>
<b>Power Output</b>	0.75Kw/1.0hp
<b>Weight</b>	5kg*
<b>Bar Length</b>	30cm, 60cm



HS 82 R/T

<b>Displacement</b>	22.7cm <sup>3</sup>
<b>Power Output</b>	0.75Kw/1.0hp
<b>Weight</b>	4.9kg*
<b>Bar Length R</b>	60cm
<b>Bar Length T</b>	50cm, 60cm



Variant R

### \*\*Variant R (Cutting)

#### Wider Tooth Spacing

Gear Transmission Ratio delivers high cutting power

#### Larger Teeth

For large Volume Pruning & Clearing, heavier Scrub on Large Tough Edges



Variant T

### \*\*Variant T (Trimming)

#### Narrow Tooth Spacing

Gear Transmission Ratio enables a higher stroke rate

#### Smaller Teeth

For Perfect Trimming and Contouring

\* Without Fuel & attachments

# Long Reach Hedge Trimmer



HL 94

<b>Displacement</b>	24.1cm <sup>3</sup>
<b>Power Output</b>	0.9Kw/1.2hp
<b>Weight</b>	6.1kg*
<b>Total Length</b>	242cm

\* Without Fuel & attachments





## Pole Pruners



### HT 75

<b>Displacement</b>	25.4cm <sup>3</sup>
<b>Power Output</b>	0.95Kw/1.3hp
<b>Weight</b>	6.6kg*
<b>Reach From Ground</b>	5m

## Hedge Trimmers



Electric Operated

### HSE 42

<b>Rated Voltage</b>	230V
<b>Power Output</b>	420W
<b>Weight</b>	3.0kg*
<b>Total Length</b>	45cm



Electric Operated

### HSE 52

<b>Rated Voltage</b>	230V
<b>Power Output</b>	460W
<b>Weight</b>	3.1kg*
<b>Total Length</b>	45cm



Electric Operated

### HSE 71

<b>Rated Voltage</b>	230V
<b>Power Output</b>	600W
<b>Weight</b>	4.1kg*
<b>Total Length</b>	70cm



Electric Operated

### HSE 81

<b>Rated Voltage</b>	230V
<b>Power Output</b>	650W
<b>Weight</b>	4.1kg*
<b>Total Length</b>	70cm

\* Without Fuel & attachments

## Handheld Pruner & Shrub Shear



Battery Operated

### GTA 26

<b>Voltage</b>	10.8V
<b>Battery Energy</b>	28wh
<b>Battery Running Time</b>	up to 25min
<b>Weight</b>	1.2Kg*



Battery Operated

### HSA 26

<b>Voltage</b>	10.8V
<b>Battery Energy</b>	28wh
<b>Battery Running Time</b>	up to 110min
<b>Weight</b>	0.8Kg*



Battery Operated

### HSA 30

<b>Battery</b>	AS2
<b>Battery Running Time</b>	up to 50min
<b>Weight</b>	2.2kg*

\* Battery runtime

## Hedge Trimmers



Battery Operated

### HSA 40

<b>Battery</b>	As2 (Double)
<b>Battery Running Time</b>	up to 80 min
<b>Weight</b>	2.3kg*



Battery Operated

### HSA 50

<b>Battery</b>	AK10/20/30
<b>Battery Running Time</b>	up to 50/100 /120 min
<b>Weight</b>	2.9kg*



Battery Operated

### HSA 86

<b>Battery</b>	AP 200
<b>Battery Running Time</b>	up to 120 min
<b>Weight</b>	3.0kg*

\* Battery runtime

## Long Reach Hedge Trimmer

## Pole Pruners




### HLA 86

<b>Battery</b>	AP 300 S
<b>Battery Running Time</b>	up to 180min
<b>Weight</b>	4.8kg*
<b>Energy Content</b>	227wh
<b>Total Length</b>	260-330cm



### HTA 66

<b>Battery</b>	AP 300 S
<b>Battery Running Time</b>	up to 55 min
<b>Weight</b>	3.3Kg*
<b>Total Length</b>	240cm
<b>Reach From Ground</b>	3.2m



### HTA 86

<b>Battery</b>	AP 300 S
<b>Battery Running Time</b>	up to 55 min
<b>Weight</b>	4.6Kg*
<b>Total Length</b>	270-390cm
<b>Reach From Ground</b>	5m

\* Battery runtime

## Earth Augers



### BT 131

<b>Displacement</b>	36.3cm <sup>3</sup>
<b>Power Output</b>	1.4Kw/1.9hp
<b>Auger Sizes</b>	40mm to 300mm
<b>Weight</b>	10kg*



### BT 230

<b>Displacement</b>	40.2cm <sup>3</sup>
<b>Power Output</b>	1.55Kw/2.1hp
<b>Auger Sizes</b>	100/150/200/300mm
<b>Weight</b>	10.9kg*

Max. Torque (Nm/RPM) - 1.9/6000

\* Without Fuel & attachments

## Concrete Cutter



### GS 461

Displacement	Power Output	Weight	Cutting Depth
76.5cm <sup>3</sup>	4.3Kw/5.8hp	7.6Kg*	15.7cm

\* Without Fuel & attachments

## Multi Tools

### MM 56 Multi Engine



<b>Working Width</b>	27.2cm
<b>Power Output</b>	0.85Kw/1.2hp
<b>Weight</b>	8.25Kg

\* Without Fuel & attachments

### Multi Tools Attachments



#### BK-MM Bolo Tines

<b>Working Width</b>	22cm
<b>Weight</b>	2.0Kg



#### BK-MM Pick Tines

<b>Working Width</b>	22cm
<b>Weight</b>	2.0Kg



#### KB-MM Bristle Brush

<b>Working Width</b>	60cm
<b>Weight</b>	4.2Kg



#### MF-MM Dethatcher

<b>Working Width</b>	50cm
<b>Weight</b>	8.3Kg



#### RL-MM Aerator

<b>Working Width</b>	20cm
<b>Weight</b>	2.0Kg



#### KB-MM Power Brush

<b>Working Width</b>	60cm
<b>Weight</b>	3.7Kg



#### FC-MM Edge Trimmer

<b>Weight</b>	0.8KgKg
---------------	---------

# Harvester - Palm Cutter



SICKLE

CHISEL



Model	PC 70	PC 75
Displacement	25.4cm <sup>3</sup>	25.4cm <sup>3</sup>
Power	0.95kw/1.3hp	0.95kw/1.3hp
Weight	6.2Kg	8.4Kg
Reach From Ground	3meter	5.5meter
Standard Length	212cm	290cm/390cm
Cutting Attachment	Chisel / Sickle	Chisel / Sickle

\* Without Fuel & attachments

# Vacuum Shredders

SH 86



Model	SH 86
Displacement	27.2cm <sup>3</sup>
Weight	6.2Kg
Sound Pressure Level	93dB(A)
Sound Power Level	106 dB(A)
Vibration Level Right	2.5/1.9 m/s <sup>2</sup>
Air Throughput	770m <sup>3</sup> /h

\* Without Fuel & attachments

SHE 71



SHE 81



Model	SHE 71	SHE 81
Rated Voltage	230V	230V
Engine Power	1.1kw	1.4kw
Weight	4.1Kg	4.4Kg
Sound Pressure Level	85 dB(A)	88 dB(A)
Sound Power Level	101 dB(A)	103 dB(A)
Vibration Level Right	1.2/0.8 m/s <sup>2</sup>	5.6/2.6 m/s <sup>2</sup>
Air Throughput	580m <sup>3</sup> /h	650m <sup>3</sup> /h

## ACCESSORIES



# Cut-Off Saws

TS 420



TS 800



TSA 230



Model	TS 420	TS 800
Displacement	66.7cm <sup>3</sup>	98.5cm <sup>3</sup>
Power Output	3.2kw/4.4hp	5.0kw/6.8hp
Weight	9.6Kg*	12.7Kg*
Cutting Wheel Dia	300/350mm	300/350/400mm
Cutting Depth	100/125mm	100/125/145mm

\* Without Fuel & attachments



Model	TSA 230
Weight Without Battery	3.9kg
Battery Running Time (AP300)	18min
Battery Running Time Back Pack (AR 3000)	95min
Cutting Wheel Dia	230mm
Cutting Depth	70mm

\* Battery runtime



# Lawn Mowers



Model	RM 248	RM 253 T	RM 3 RT
Engine Displacement	139cm <sup>3</sup>	150cm <sup>3</sup>	166cm <sup>3</sup>
Horse Power	2.8 HP	3.0HP	3.5 HP
Cutting Width	18"	20"	18"
Collector Volume	55L	55L	30 Kg*

Model	RME 235	RME 443
Motor Capacity	1200W	1500W
Cutting Width	13"	16"
Collector Volume	30L	55L

\* Without Fuel & attachments

# Engines

## Multipurpose Stationary Engines



Model	<b>EHC 605 S</b>
Engine Displacement	212
Horse Power	4.4 kW / 6.0 HP
Weight	15.7kg



Model	<b>EHC 705 S</b>
Engine Displacement	252
Horse Power	5.2 kW / 7.0 HP
Weight	17.3kg

\*Images are used for representative purpose only

## Tiller Engines



Model	<b>EHC 600 T</b>
Engine Displacement	212
Horse Power	4.4 kW / 6.0 HP
Weight	16kg



Model	<b>EHC 700 T</b>
Engine Displacement	252
Horse Power	5.2 kW / 7.0 HP
Weight	18.2kg

\*\* Specifications can change without prior notice.

Your Nearest Authorized Servicing Dealer



**KRISHI UPKARAN, LAYE PARIVARTAN**

Call or Whatsapp

**90284 11222**

STIHL INDIA



info@stihl.in www.stihl.in

German Quality and Innovation

